	Application No.	Applicant(s)
Notice of Allowability	09/901,871	CERVELLO ET AL.
	Examiner	Art Unit
	Thien D. Tran	2665
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.  1. This communication is responsive to 06/27/2005.  2. The allowed claim(s) is/are 7-22 renumbered as 1-16.  3. The drawings filed on 04 October 2001 are accepted by the Examiner.		
<ul> <li>4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul>		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
<ul> <li>6. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.</li> <li>(a) including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached</li> <li>1) hereto or 2) to Paper No./Mail Date</li> <li>(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date</li> <li>Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).</li> <li>7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the</li> </ul>		
attached Examiner's comment regarding REQUIREMENT		
Attachment(s)  1. Notice of References Cited (PTO-892)  2. Notice of Draftperson's Patent Drawing Review (PTO-948)  3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summary Paper No./Mail Dat 8), 7. ☑ Examiner's Amendr	te

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Russel Gross on 07/20/2005.

The specification has been amended as follows:

Claim 7, before "determining whether" add --- (a)---.

## REASONS FOR ALLOWANCE

2. The following is an examiner's statement of reasons for allowance:

Regarding claims 7, 16, the prior arts fail to teach or fairly suggest a method for dynamically selecting a communication channel between an access point (AP) and a plurality of stations located within the coverage area of a basic service set (BSS) in a wireless local area network, the method comprising the steps of:

- (b) requesting, by said AP, a channel signal quality measure to at least one of said plurality of stations;
- (c) scanning a set of channels available for use by the plurality of stations to determine whether a signal from an adjacent BSS is received;

Application/Control Number: 09/901,871 Page 3

Art Unit: 2665

(d) if the adjacent BSS signal is detected, determining a signal quality measure of each channel of the set of channels based on a received signal strength indication (RSSI) and a packet error rate (PER) of all the channels measured by the plurality of stations to the AP, in combination with other limitations as specified in the independent claims 7, 16.

## Conclusion

3. Any inquiry concerning this communication or earlier communication from the examiner should be directed to Thien Tran whose telephone number is (571) 272-3156. The examiner can normally be reached on Monday-Friday from 8:30AM to 5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Huy Vu, can be reached on (571) 272-3155. Any inquiry of a general nature of relating to the status of this application or proceeding should be directed to the Group receptionist whose telephone number is (571) 272-2600.

4. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <a href="http://pair-direct.uspto.gov">http://pair-direct.uspto.gov</a>. Should you have any questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197.

Art Unit: 2665

Patent Examiner

Thien Tran

DUC HO PRIMARY EXAMINER

7-21-05